

Tree Risk Literature Review Bibliography

Last Modified: January 3, 2009

1. Abbott, R. and K. Miller. 1991. Utility tree damage claims. *Arbor Age*.
2. Abdollahi, K. et al. 2007. Gulf coastal urban forest hazard assessment and remote sensing efforts after hurricanes Katrina and Rita. in *Seventh Symposium on the Urban Environment*.
3. Achim, A. et al. 2005. Modeling the vulnerability of balsam fir forests to wind damage. *Forest Ecology and Management* 204:37-52.
4. Adams, J. 2007. Dangerous trees? *Arboricultural Journal* 30:95-103.
5. Albers, J. and E. Hayes. 1993. *How to detect, assess, and correct hazard trees in recreational areas*. Minnesota Department of Natural Resources, St. Paul, Minnesota.
6. Albrecht, W., K. Bethge, and C. Mattheck. 1995. Is lateral strength in trees controlled by lateral mechanical stress? *Journal of Arboriculture* 21:83-87.
7. Allen, J. 1992. Trees and their response to wind: Mid Flandrian strong winds, Severn Estuary and Inner Bristol Channel, Southwest Britain. *Philosophical Transactions: Biological Sciences* 338:335-364.
8. Alméras, T., A. Thibaut, and J. Gril. 2005. Effect of circumferential heterogeneity of wood maturation strain, modulus of elasticity and radial growth on the regulation of stem orientation in trees. *Trees - Structure and Function* 19:457-467.
9. Amtmann, R. 1986. *Dynamische Windbelastung von Nadelbäumen (Dynamic wind load on coniferous trees)*. Forstl Forschungsber, Münch, Germany.
10. Ancelin, P., B. Courbaud, and T. Fourcaud. 2004. Development of an individual tree-based mechanical model to predict wind damage within forest stands. *Forest Ecology and Management* 203:101-121
11. Anderson, L. 1988. Legal liability for defective trees in the United States. *Landscape and Urban Planning* 15:173-94.
12. Anderson, L. and T. Eaton. 1986. Liability for damage caused by hazardous trees. *Journal of Arboriculture* 12:189-195.
13. Andresen, J., T. Bartlett, and L. Burban. 1993. Protect your urban forest from wind damage: Operation Tornado ReLeaf. *Arboricultural Journal* 17:227-286.
14. Angwin, P. 1990. *Pest conditions and potential hazard trees in Chapman Campground, Chapman Group Camp and Elk Wallow Campground, Sopris Ranger District, White River National Forest.*, Forest Pest Management Biological Evaluation, Rocky Mountain Region State & Private Forestry, USDA Forest Service.
15. Anselmi, A. and G. Bragaloni. 1992. A method to identify wood decay basidiomycetes by using enzymatic comparisons. *Micologia Italiana* 2:15–20.
16. Antonaroli, R. 2000. Wind damage to urban trees: The case of Formigine (Modena district). *Sherwood-Foreste* 6:11-14.
17. Archer, R. 1987. *Growth stresses and strains in trees*, Springer Series in Wood Science. Springer Verlag, Berlin, Germany.
18. Archer, R. 1987. On the origin of growth stresses in trees. *Wood Science and Technology* 21:139-154.
19. Asner, G. and G. Goldstein. 1997. Correlating stem biomechanical properties of Hawaiian canopy trees with hurricane wind damage. *Biotropica* 29:145-150.

20. Attia al Hagrey, S. 2007. Geophysical imaging of root-zone, trunk, and moisture heterogeneity. *Journal of Experimental Botany* 58:839-854.
21. Axmon, J. 2000. On detection of decay in growing Norway spruce via natural frequencies. Lund University, Sweden.
22. Axmon, J. and M. Hansson. 1999. *Nondestructive Detection of Decay in Spruces Using Acoustic Signals: Evaluation of Circumferential Modes*, Signal Processing Report SPR-45. Lund Institute of Technology, Lund University, Sweden.
23. Axmon, J., M. Hansson, and L. Sornmo. 2004. Experimental study on the possibility of detecting internal decay in standing *Picea abies* by blind impact response analysis. *Forestry* 77:179-192.
24. Axmon, J., M. Hansson, and L. Sörnmo. 2005. Partial modal analysis for health assessment of living trees. Lund University, Sweden.
25. Baker, C. 1995. The development of a theoretical model for the wind throw of plants. *Journal of Theoretical Biology* 175:335-372.
26. Baker, C. 1997. Measurements of the natural frequencies of trees. *Journal of Experimental Botany* 48:1125-1132.
27. Baker, C. and H. Bell. 1992. The aerodynamics of urban trees. *Journal of Wind Engineering and Industrial Aerodynamics* 44:2655-2666.
28. Bakken, S. 1986. Tree hazard control program: guidelines and standards for the California Department of Parks and Recreation. California Department of Parks and Recreation, Sacramento, CA.
29. Bakken, S. 1995. Group-tree hazard analysis. *Journal of Arboriculture* 21:150-150.
30. Bakshi, B. 1964. Known and potential hazards from stem diseases - heart rots. presented at the Symposium on Internationally Dangerous Forest Diseases and Insects
31. Ball, D. 2007. The evolution of risk assessment and risk management: a background to the development of risk philosophy. *Arboricultural Journal* 30:105-112.
32. Ball, D. 2007. Why risk assessment needs an underpinning philosophy. *Arboricultural Journal* 30:105-112.
33. Ball, D. 2007. I'll manage risk my way. *Arboricultural Journal* 30:121-125.
34. Barrett, D., D. Seaby, and I. Gourly. 1987. Portable compression strength meter; a tool for the detection and quantification of decay in trees. *Arboricultural Journal* 11:313-322.
35. Barry, P. et al. 1993. *How to evaluate and manage storm-damaged forest areas*, Management Bulletin RS-MB 64 (USDA Forest Service).
36. Barry, K., M. Hall, and C. Mohammed. 1995. The effect of time and site on incidence and spread of pruning-related decay in plantation-grown *Eucalyptus nitens*. *Canadian Journal of Forestry Research*. 35:495-502.
37. Barton, I. 1995. Preliminary results form a sailing pruning trial of *Cupressus* species," *New Zealand Tree Grower* 16:28-29.
38. Baum, S. and F. Schwarze. 2002. Large-leaved lime (*Tilia platyphyllos*) has a low ability to compartmentalize decay fungi via reaction zone formation. *New Phytologist* 154:481-490.
39. Beatty, S. 1982. *Biological evaluation of hazard trees and dwarf mistletoe in six summer home areas, Payson Ranger District, Tonto National Forest, Arizona*, Forest Pest Management Report USDA Forest Service Southwest Region.

40. Bell, H. et al. 1991. Tree stability in *Research for practical arboriculture*, ed. S. Hodge, Forestry Commission Bulletin 97.
41. Bemann, A. and L.. Klinger. 1993. Detection of decay within living trees," *Holz als Roh- und Werkstoff* 51 (1993): 291-293.
42. Bertram, J. 1989. Size-dependent differential scaling in branches: the mechanical design of trees revisited. *Trees - Structure and Function* 3:241-253.
43. Bethge, K., C. Mattheck, and E. Hunger. 1996. Equipment for detection and evaluation of incipient decay in trees. *Arboricultural Journal* 20:13–37.
44. Birot, Y. and C. Gollier. 2001. Risk assessment, management and sharing in forestry with special emphasis on wind storms. presented at the 14th Convocation of Academies of Engineering and Technological Sciences (CAETS), Espoo, Finland.
45. Blackburn, P. and J. Petty. 1988. An assessment of the static and dynamic factors involved in wind throw. *Forestry* 61:29-43.
46. Blair, D. 1993. The Dynamics of urban tree hazard reduction. *Arbor Age*, June.
47. Blanchard, R. and T. Tattar. 1974. Electrical properties of wood in progressive stages of discoloration and decay. *Phytopathology* 64:578-579.
48. Blanchette, R. and A. Biggs, eds. 1992. *Defense mechanisms of woody plants against fungi* Springer, New York.
49. Boddy, L and A. Rayner. 1983. Origins of decay in living deciduous trees: the role of moisture content and a re-appraisal of the expanded concept of tree decay. *New Phytologist* 94:623-641.
50. Boddy, L and A. Rayner., 1984. Internal spread of fungi inoculated into attached oak branches. *New Phytologist* 98:155-164.
51. Bond, J. 2006. Foundations of tree risk analysis: Use of the t/R ratio to evaluate trunk failure potential. *Arborist News* 15(6):31-34.
52. Bonsen, K. 1993. Wetwood and its implications. *Arboricultural Journal* 17:61-67.
53. Borst, B. 1982. Trees and the law. *Journal of Arboriculture* 8:271-276.
54. Britton, J. 1990. Root crown examinations for disease and decay. *Journal of Arboriculture* 16:V.
55. Bruchert, F and B. Gardiner. 2006. The effect of wind exposure on the tree aerial architecture and biomechanics of Sitka spruce (*Picea sitchensis*, *Pinaceae*). *American J. Botany* 93:1512-1521.
56. Brudi, E. 2001. Longitudinal prestresses in *Tilia cordata* and *Acer pseudoplatanus*. MS Thesis, University of Aberdeen.
57. Brudi, E. 2002. Trees and statics: an introduction. *Arborist News* 11(4):28-33.
58. Brudi, E and P. Van Wassenaer. 2002. Trees and statics: nondestructive failure analysis. in *Tree structure and mechanics conference proceedings: how trees stand up and fall down*, ed. E. Smiley and K. Coder. International Society of Arboriculture, Champaign, IL.
59. Bucur, V. 2003. *Nondestructive characterization and imaging of wood*. Springer Verlag, Berlin, Germany.
60. Burdekin, D. 1979. *Common decay fungi in broadleaved trees*, Arboricultural Leaflet 5, Forestry Commission.
61. Burgert, I. and D. Eckstein. 2001. The tensile strength of isolated wood rays of beech (*Fagus sylvatica* L.) and its significance for the biomechanics of living trees. *Trees - Structure and Function* 15:168-170.

62. Burgert, I., A. Bernasconi, and D. Eckstein. 1999. Evidence for the strength function of rays in living trees. *Holz als Roh-und Werkstoff* 57:397-399.
63. Butin, H. and A. Shigo. 1981. *Radial shakes and "frost cracks" in living oak trees*. Research Paper. U.S. Department of Agriculture, Forest Service Northeastern Forest Experiment Station, Broomall, PA.
64. Butts, D. 1973. Tree hazard program at Rocky Mountain National Park. in *Proceedings of the 21st Western International Forest Disease Work Conference*. Estes Park, CO.
65. California Dept. of Parks and Recreation. 1986. *Tree hazard control*. California Department of Parks and Recreation-Natural Heritage Section-Resource Protection Division, Sacramento, CA.
66. California Dept. of Parks and Recreation. 1991. Report of tree failure records 1970-1990. California Department of Parks and Recreation-Natural Heritage Section-Resource Protection Division, Sacramento, CA.
67. California State Park System. 1969. Tree Hazard Control: Policy and Administration in the California State Park System.
68. Canham, C., M. Papaik, and E. Latty. 2001. Interspecific variation in susceptibility to windthrow as a function of tree size and storm severity for northern temperate tree species. *Canadian Journal of Forest Research* 31:1-10.
69. Cannell, M. and J. Morgan. 1987. Young's modulus of sections of living branches and tree trunks. *Tree Physiology* 3:355-64.
70. Cannell, M. and J. Morgan. 1989. Branch breakage under snow and ice loads. *Tree Physiology* 5:307-317.
71. Cannell, M., J. Morgan, and M. Murray. 1988. Diameters and dry weights of tree shoots: effects of Young's modulus, taper, deflection and angle. *Tree Physiology* 4:219-31.
72. Catena, A. 1991. La Termografia per la salvaguardia di esemplari arborei monumentali (Thermography for safeguarding exemplary trees). *Linea Ecologica* 6:18-20.
73. Catena, A. 1992. Une application de la Thermographie en phytopatologie. *Phytoma* 439:46-48.
74. Catena, A. Un albero appare molto danneggiato: lo si deve abbattere o conservare? La Termografia aiuta a prendere la decisione giusta (A tree appears very damaged: should it be removed or conserved? The infrared camera helps make the right decision). *Linea Ecologica* 1:9-14.
75. Catena, A. 2004. Thermography reveals hidden tree decay. *Arboricultural Journal* 27.
76. Catena, G., L. Palla, and M. Catalano. 1990. Thermal infrared detection of cavities in trees. *European Journal of Forest Pathology* 20:201-210.
77. Chaney, W. 2001. How wind effects trees. *Woodland Steward* 10:1-8.
78. Chang, S., J. Olson, and P. Wang. 1989. NMR imaging of internal features in wood. *Forest Products Journal* 39:43-49.
79. Cherubini, P., F. Schweingruber, and T. Forster. 1997. Morphology and ecological significance of intra-annual radial cracks in living conifers. *Trees - Structure and Function* 11:216-222.

80. Christensen-Dalsgaard, K. et al. 2007. Changes in vessel anatomy in response to mechanical loading in six species of tropical trees. *New Phytologist* 176:610-622.
81. Chuisoli, A. and A. Minelli. 1999. Assessment and comparison of most common diagnostic tools in lime wood-decay in *Proc. Intl. Symp. on Urban Tree Health*, Acta Hort. 496:229-232.
82. City and County of San Francisco. *The tree assessment program*. Recreation and Park Department. City and County of San Francisco.
83. Clair, B. et al. 2003. Biomechanics of buttressed trees: bending strains and stresses. *American J. Botany* 90:1349-1356.
84. Clark, J. and N. Matheny. 1993. *A handbook of hazard tree evaluation for utility arborists*. International Society of Arboriculture, Champaign, IL.
85. Clausen, C. 2003. Detecting decay fungi with antibody-based tests and immunoassays. *Wood Deterior Preserv* 845:325-336.
86. Coder, K. 1989. Should you or shouldn't you fill tree hollows. *Grounds Maintenance* 24:68-70.
87. Coder, K. *Assessing extent and severity of mechanical injuries in trees*. Cooperative Extension Service, University of Georgia College of Agricultural and Environmental Services.
88. Coder, K. 1996. *Tree risk management and hazard assessment: a general review*. Warnell School of Forest Resources, University of Georgia.
89. Coder, K. 1999. *Hurricanes, trees & forests: a selected bibliography*. Warnell School of Forest Resources, University of Georgia.
90. Coder, K. 2000. *Critical force for buckling tree stems*, Tree Biomechanics Series, Warnell School of Forestry and Natural Resources, University of Georgia.
91. Coder, K. 2000. *Estimating wind forces on tree crowns*, Tree Biomechanics Series, Warnell School of Forest and Natural Resources, University of Georgia.
92. Coder, K. 2000. *Neutral plane faults & stem strength*, Tree Biomechanics Series, 2000, Warnell School of Forest and Natural Resources, University of Georgia.
93. Coder, K. 2000. Tree risk management. *City Trees*.
94. Coder, K. 2001. *Storm damaged trees: prevention and treatment*/ Cooperative Extension Service, University of Georgia College of Agricultural and Environmental Services.
95. Coder, K. 2004. *Estimating leaning tree failures*, Tree Biomechanics Series, Warnell School of Forest and Natural Resources, University of Georgia.
96. Coder, K. 2005. *Elastic limit: strength properties of living trees*. Warnell School of Forest Resources, University of Georgia.
97. Coder, K. 2007. *Storm wind loads on trees*. Warnell School of Forest and Natural Resources, University of Georgia.
98. Costello, L. and A. Berry. 1991. The California tree failure report program: An overview. *Journal of Arboriculture* 17:250-255.
99. Costello, L. and J. Peterson. 1989. Decay detection in eucalyptus: an evaluation of two methods. *Journal of Arboriculture* 15:185-188.
100. Costello, L. and S. Quarles. 1999. Detection of wood decay in blue gum and elm: an evaluation of the Resistograph® and the portable drill. *Journal of Arboriculture* 25:311-317.
101. Coutts, M. 1983. Root architecture and tree stability. *Plant and Soil*. 71:171-188.

102. Coutts, M. and J. Grace. 1995. *Wind and trees*. Cambridge University Press.
103. Coutts, M., C. Nielsen, and B. Nicoll. 1999. The development of symmetry, rigidity and anchorage in the structural root system of conifers. *Plant and Soil* 217:1-15.
104. Cown, D. 1978. Comparison of the pilodyn and torsiometer methods for the rapid assessment of wood density in living trees. *New Zealand Journal of Forestry Science* 8:384-391.
105. Crane, B. 1989. Guide to tree inspection. *Arboricultural Journal* 13:17-24.
106. Crook, M. and A. Ennos. 1996. The anchorage mechanics of deep rooted larch, *Larix europaea* × *L. japonica*. *Journal of Experimental Botany* 47:1509-1517.
107. Crook, M., A. Ennos, and J. Banks. 1997. The function of buttress roots: a comparative study of the anchorage systems of buttressed (*Aglaia* and *Nephelium ramboutan* species) and non-butressed (*Mallotus wrayi*) tropical trees. *Journal of Experimental Botany* 48:1703-1716.
108. Crow, P. 2005. *Influence of soils and species on tree root depth*, Information Note, Forestry Commission, Edinburgh, United Kingdom.
109. Croxton, W. 1939. A study of the tolerance of trees to breakage by ice accumulation. *Ecology* 20:71-73.
110. Cucchi, V. et al. 2005. Modeling the windthrow risk for simulated forest stands of Maritime pine (*Pinus pinaster* Ait.). *Forest Ecology and Management* 213:184-196.
111. Cullen, S. 2002. Trees and wind: wind scales and speed. *Journal of Arboriculture* 28:237-242.
112. Cullen, S. 2002. Trees and wind: a bibliography for tree care professionals. *Journal of Arboriculture* 28:1.
113. Cullen, S. 2005. Trees and wind: A practical consideration of the drag equation velocity exponent for urban tree risk management. *Arboriculture & Urban Forestry* 31:101-113.
114. Cutler, D., P. Gasson, and M. Farmer. 1990. The wind blow tree survey: analysis of results. *Arboricultural Journal* 14:265-286.
115. Dahle, G. et al. 2006. Decay patterns in silver maple (*Acer saccharinum*) trees converted from round-overs to V-trims. *Arboriculture & Urban Forestry* 32:260-264.
116. Danjon, F., T. Fourcaud, and D. Bert. 2005. Root architecture and wind-firmness of mature *Pinus pinaster*. *New Phytologist* 168:387-400.
117. Danjon, F. et al. 2007. Using Three-dimensional Plant Root Architecture in Models of Shallow-slope Stability. *Annals of Botany* 101:1281-1293.
118. Davies-Colley, P. and J. Turner. 1999. Crown lightening young radiata pine to reduce the risk of topple. *New Zealand Tree Grower* 20: 34-35.
119. Davis, C. N. Fay, and C. Mynors. 2000. *Veteran trees: a guide to risk and responsibility*. English Nature, Northminster House, Peterborough, United Kingdom.
120. Deflorio, G., S. Fink, and F. Schwarze. 2008. Detection of incipient decay in tree stems with sonic tomography after wounding and fungal inoculation. *Wood Science and Technology* 42:117-132.
121. Deflorio, G. et al. 2008. Decay development in living sapwood of coniferous and deciduous trees inoculated with six wood decay fungi. *Forest Ecology and Management* 255:2373-2383.

122. Detter, A., E. Brudi, and F. Bischoff. 2005. Statics Integrated Methods: results from pulling tests in the past decades. in *Asociación Espanola de Arboricultura: La Visión del Árbol Urbano* presented at the Actas del 9º Congreso de Arboricultura, Barcelona, Spain.
123. Dietrich, F. and C. Mattheck. 1995. Cracks in saber-shaped trees and branches. *Journal of Theoretical Biology* 173:321-327.
124. Disanto, E. 1982. Branches of the law: trees and litigation. *Journal of Arboriculture* 8:7-12.
125. Doll, D. 1991. Les ecataclysmes éoliens dans les forêts d'Europe: aperçu historique. *Forêt Enterprise* 77:8-9.
126. Dolwin, J. 1996. Evaluation of internal defects in trees and their legal implications. *Arboricultural Journal* 20:173-178.
127. Dolwin, J., D. Lonsdale, and J. Barnett. 1999. Detection of decay in trees. *Arboricultural Journal* 23:139-149.
128. Dujesiefken, D. et al. 1999. Tree wound reactions of differently treated boreholes. *Journal of Arboriculture* 25:113-123.
129. Dujesiefken, D., A. Wohlers, and T. Kowoh. Die Hamburger Baumkontrolle - der Lietfaden für eine fachgerechte Baumkontrolle," in *Jahrbuch der Baumpflege (Yearbook of tree care)*, ed. D. Dujesiefken and P. Kockerbeck. Thalacker Medien, Braunschweig.
130. Dunster, J. 1996. Hazard tree assessments: developing a species profile for western hemlock. *Journal of Arboriculture* 22:51-57.
131. Dupont, S. and Y. Brunet. 2008. Impact of forest edge shape on tree stability: a large-eddy simulation study. *Forestry* 81:299-315.
132. Dupuy, L., T. Fourcaud, and A. Stokes. 2005. A numerical investigation into factors affecting the anchorage of roots in tTension. *European Journal of Soil Science* 56:319-327.
133. Dupuy, L., T. Fourcaud, and A. Stokes. 2005. A numerical investigation into the influence of soil type and root architecture on tree anchorage. *Plant and Soil* 278:119-134.
134. Dupuy, L. et al. 2007. A generic 3D finite element model of tree anchorage integrating soil mechanics and real root system architecture. *American J. Botany* 94:1506-1514.
135. Duryea, M. 1997. *Wind and trees: surveys of tree damage in the Florida panhandle after hurricanes Erin and Opal*. Florida Cooperative Extension Service.
136. Duryea, M. et al. 1996. Wind and trees: A survey of homeowners after Hurricane Andrew. *Journal of Arboriculture* 22:44-50.
137. Duryea, M. et al. 2007. Hurricanes and the urban forest II: effects on tropical and subtropical tree species. *Arboriculture & Urban Forestry* 33:98-112.
138. Edberg, R. and A. Berry. 1999. Patterns of structural failures in urban trees: Coast live oak (*Quercus agrifolia*). *Journal of Arboriculture* 25:48-55.
139. Edberg, R., A. Berry, and L. Costello. 1999. Patterns of structural failure in Monterey pine. *Journal of Arboriculture* 20:297-304.
140. Eden, N. 2007. Towards a national standard for tree risk inspections. *Arboricultural Journal* 30:127-136.

141. Ellison, M. 2005. Quantified tree risk assessment used in the management of amenity trees. *Journal of Arboriculture* 31:57-65.
142. Ellison, M. 2007. Moving the focus from tree defects to rational risk management - a paradigm shift for tree managers. *Arboricultural Journal* 30:137-143.
143. de Langre, E. 2008. Effects of wind on plants. *Annual Review of Fluid Mechanics* 40:141-168.
144. Engineering Data Management, Inc. 1989. *Detection of heart rot voids in trees using stress wave analysis*. Alberta Forest Service.
145. England, A., C. Baker, and S. Saunderson. 2000. A dynamic analysis of windthrow of trees. *Forestry* 73:225-238.
146. Ennos, A. 1999. The aerodynamics and hydrodynamics of plants. *Journal of Experimental Biology* 202:3281-3284.
147. Eslyn, W. 1959. Radiographical determination of decay in living trees by means of the thulium x-ray unit. *Forest Science* 5:37-47.
148. Esser, M. 1946. Tree trunks and branches as optimum mechanical supports of the crown: II. The branches. *Bulletin of Mathematical Biology* 8:95-100.
149. Evans, W. 1981. Reduction of public tree liabilities. *Journal of Arboriculture* 7:218-221.
150. Evans et al. 2008. Mechanical stresses of primary branches: a survey of 40 woody tree and shrub species. *Trees - Structure and Function* 22:283-289.
151. Everham, E. and N. Brokaw 1996. Forest damage and recovery from catastrophic wind. *The Botanical Review* 62:113-185.
152. Farquhar, T. and Y. Zhao. 2006. Fracture mechanics and its relevance to botanical structures. *American J. Botany* 93:1449-1454.
153. Farrell, R. 2003. Structural features related to tree crotch strength. *Master's Thesis*. Virginia Tech.
154. Neville, F. 2007. Towards reasonable tree risk decision-making? *Arboricultural Journal* 30:143-161.
155. Fazio, J. 1989. How to recognize and prevent hazard trees. *Tree City USA Bulletin*.
156. Felix, R. and A. Shigo. 1980. Rots and rods. *Journal of Arboriculture* 3:187-190.
157. Filer, Jr., T. 1972. Gamma radiation detects defects in trees and logs. *Phytopathology* 62:756.
158. Filip, G. and D. Goheen. 1982. Hazards of root disease in Pacific Northwest recreation sites. *Journal of Forestry* 72:163-164.
159. Fischhoff, B. 1995. Risk Perception and Communication Unplugged: Twenty Years of Process. *Risk Analysis* 15:137-145.
160. Flesch, T. and J. Wilson. 2006. Wind and remnant tree sway in forest cutblocks. II. Relating measured tree sway to wind statistics. *Agricultural Forest Meteorology* 93:243-258.
161. Fons, W and W. Pong. 1957. *Tree breakage characteristics under static loading; ponderosa pine*, Interim Tech. Report USDA Forest Service Division of Forest Fire Research.
162. Forbes-Laird, J. 2003. National tree fatality database. *Arboricultural Newsletter*.
163. Foret, G. et al. 1998. A software for the evaluation of wind stability of trees: "CILVA," in Acta Hort: Proceedings of the International Symposium of Urban Tree Health. ISHS. 496:289-297.

164. Foster, D. 1988. Species and stand response to catastrophic wind in Central New England, U.S.A. *Journal of Ecology* 76:135-151.
165. Fourcaud, T. et al. 2008. Understanding the Impact of Root Morphology on Overturning Mechanisms: A Modelling Approach. *Annals of Botany* 101:1267-1280.
166. M. Fournier et al. 1990. Growth stress patterns in tree stems. *Wood Science and Technology* 24:131-142.
167. Fournier-Djimbi, M. and B. Chanson. 1999. Biomechanics of trees and wood for hazardous tree assessment," in Acta Hort: Proceedings of the International Symposium of Urban Tree Health. ISHS. 496:197-206.
168. Fraedrich, B. 1999. Tree Risk Management—Hazard Trees. Bartlett Tree Research Laboratory Report.
169. Francis, J. 2000. Comparison of hurricane damage to several species of urban trees in San Juan, Puerto Rico. *Journal of Arboriculture* 26:189-196.
170. Francis, J. and A. Gillespie. 1993. Relating gust speed to tree damage in hurricane Hugo. *Journal of Arboriculture* 19:368.
171. Fraser, A. 1962. The soil and roots as factors in tree stability. *Forestry* 35:117-127.
172. Fraser, A. and J. Gardiner. 1967. *Rooting and stability in sitka spruce*, Forestry Commission Bulletin. HSMO. London, U.K.
173. Fredericksen, T., R. Hedden, and S. Williams. 1993. Testing loblolly pine wind firmness with simulated wind stress. *Canadian Journal of Forest Research* 23:1760-1765.
174. Gaffrey, D. 2000. Stress distribution in a stem of a 64-year old Douglas fir simulated with a 3D-tree and load model. in *Plant Biomechanics 2000*, ed. H. Spatz and T. Speck. George Thieme-Verlag, Stuttgart, Germany.
175. Gaffrey, D. and O. Kniemeyer. 2002. The elasto-mechanical behaviour of Douglas fir, its sensitivity to tree-specific properties, wind and snow loads, and implications for stability - a simulation study. *Journal of Forest Science* 43: 49-69.
176. Gaidula, P. 1973. Training needs for field personnel in detection, evaluation, and control of tree hazards in forested recreation areas. in *Proceedings of the 21st Western International Forest Disease Work Conference*. Estes Park, CO.
177. Gaidula, P. 1975. A report on tree hazard problems and a brief review of research. in *Proceedings of the Joint Meeting of the 26th Western Forest Insect Work Conference and the 22nd Western International Forest Disease Work Conference*. Monterey, CA.
178. Gaidula, P. 1976. Hazard trees in parks and campgrounds. in *Proceedings of the 24th Western International Forest Disease Work Conference*. Coos Bay, OR.
179. Galinsky, W. 1989. A windthrow-risk determination for coniferous trees. *Forestry* 62:139-146.
180. Gardiner, B. and C. Quine. 2000. Management of forests to reduce the risk of abiotic damage -- a review with particular reference to the effects of strong winds. *Forest Ecology and Management* 135:261-277.
181. Gardiner, B. et al. 1997. Field and wind tunnel assessments of the implications of respacing and thinning for tree stability. *Forestry* 70:233-252.
182. Gardiner, B., H. Peltola, and S. Kellomäki. 2000. Comparison of two models for predicting the critical wind speeds required to damage coniferous trees. *Ecological Modelling* 129:1-23.

183. Gibbs, J. and B. Greig. 1990. Survey of parkland trees after the Great Storm of October 16, 1987. *Arboricultural Journal* 14:321-347.
184. Gibbs, J. and D. Patch. 1982. *Decay and disintegration of dead elms*. Arboriculture Research Note. Forestry Commission.
185. Gilbert, E. and E. Smiley. 2004. Picus sonic tomography for the quantification of decay in white oak (*Quercus alba*) and hickory (*Carya spp.*). *Journal of Arboriculture* 30:5.
186. Gilbertson, R. 1980. Wood-rotting fungi of North America. *Mycologia* 71:1-49.
187. Gilman, E. 2003. Branch-to-stem diameter ratio affects strength of attachment. *Journal of Arboriculture* 29:291-294.
188. Gilman, E., F. Masters, and J. Grabosky. 2008. Pruning affects tree movement in hurricane force wind. *Arboriculture & Urban Forestry* 34:20-28.
189. Gilman, E. et al. 2008. Effects of pruning dose and type on trunk movement in tropical wind storms. *Arboriculture & Urban Forestry* 34:13-19.
190. Gonthier, P. and G. Nicolotti. 2007. A field key to identify common wood decay fungal species on standing trees. *Arboriculture & Urban Forestry* 33:410-420.
191. Greco, C. et al. 2004. A computer simulation of an alternative design to tree crown support systems. *Journal of Arboriculture* 30:6.
192. Green, D., J. Winandy, and D. Kretschmann. 1999. Mechanical properties of wood. in *Wood handbook : wood as an engineering material*. General Technical Report GTR-113. Forest Products Laboratory, USDA Forest Service, Madison, WI.
193. Gruber, F. 2000. Vergleichende Meßergebnisse zur Identifizierung von schadstellen im Fichtenholz (*Picea abies* L. Karst.) mit den Bohrmeßgeräten Teredo, Resistograph 1410 und Impulshammer-Schallmeßsystem. I. Schallmessungen und Bohrdiagramme an intaktem Holz. (Comparative results of measurement for the identification of points of failure in the fir wood (*Picea abies* L Karst.) with the Bohrmeßgeräten Teredo, Resistograph 1410 and Impulshammer Sound Measurement System. I. Acoustic measurements and drilling diagrams in intact wood.). *European Journal of Forest Pathology* 171:223-227.
194. Gruber, F. 2001. Vergleichende Meßergebnisse zur Identifizierung von schadstellen im Fichtenholz (*Picea abies* L. Karst.) mit den Bohrmeßgeräten Teredo, Resistograph 1410 und Impulshammer-Schallmeßsystem. II. Bohrdiagramme an rotfaulem Holz und Disdussion. (Comparative results of measurement for the identification of points of failure in the fir wood (*Picea abies* L Karst.) with the Bohrmeßgeräten Teredo, Resistograph 1410 and Impulshammer Sound Measurement System. II. Drilling diagrams in decayed wood and discussion.) *European Journal of Forest Pathology* 171:1-7.
195. Gruber, F. 2007. Die VTA-0,3-Restwandstarkenregel wissenschaftlich unhaltbar und praktisch unbrauchbar (The VTA-0,3-remaining wall thickness rule scientifically untenable and practically uselessly.). *Agrar-Und Umweltrecht (Agricultural and Environmental Law)* 37:7-11.
196. Gruber, F. 2007. Die wissenschaftlich nicht nachvollziehbare VTRA-h/D=50Grenzkonstante, ein kaum brauchbares, nicht justifizables Verkehrssicherheitskriterium (The scientifically not comprehensible VTRA-h/D=50 threshold, a hardly useful, not justifiable road safety criterion). *Agrar-Und Umweltrecht (Agricultural and Environmental Law)* 37:267-272.

197. Gruber, F. 2008. Untenable failure criteria for trees: I. The residual wall thickness rule. *Arboricultural Journal* 31:5-18.
198. Gruber, F. and H. Hagemann. 2000. Vergleich der Biegefestigkeiten an Buche, Pappel, Fichte und Douglasie mit dem Fractometer 1 und nach DIN 52 186 Prufverfahren (Comparison of the bending strength of beech, poplar, spruce and douglas fir with the Fractometer 1 and after DIN 52,186 test procedure). *European Journal of Forest Pathology* 171:137-144.
199. Guard, C. and M. Lander. 1999. *A scale relating tropical cyclone wind speed to potential damage for the tropical Pacific ocean region: A user's manual*, 2nd ed., WERI Technical Report 86. National Weather Station, Pacific Region Headquarters.
200. Guggenmoos, S. 2003. Effects of tree mortality on power line security. *Journal of Arboriculture* 29:4.
201. Guglielmo, F. et al. 2007. A multiplex PCR-based method for the detection and early identification of wood rotting fungi in standing trees. *Journal of Applied Microbiology* 103:1490-1507.
202. Guitard, D. and G. Castera. 1995. Experimental analysis and mechanical modelling of wind-induced tree sways in *Wind and trees*. ed. M. Coutts and J. Grace. Cambridge University Press, Cambridge, U.K.
203. Habermehl, A. 1982. A new non-destructive method for detecting internal wood conditions and decay in living trees. Part 1: principles, method and apparatus. *Arboricultural Journal* 6:1-8.
204. Habermehl, A. 1982. A new non-destructive method for detecting internal wood conditions and decay in living trees. Part 1: results and further developments," *Arboricultural Journal* 6:121-130.
205. Habermehl, A. and H. Ridder. 1992. Computerized tomography applied to studies on wood of living trees. *Holz als Roh- und Werkstoff* 50:465-474.
206. Habermehl, A. and H. Ridder. 1993. Application of tomography for non-destroying investigations on wood of living trees: Forestry studies. *Holz als Roh- und Werkstoff* 51:1-6.
207. Habermehl, A. and H. Ridder. 1993. Application of tomography for non-destroying investigations on wood of living trees: Studies on park and avenue trees. *Holz als Roh- und Werkstoff* 51:101-106.
208. Habermehl A. and H. Ridder. 1995. Non-destructive method and apparatus for determination of heart rot in standing stems. *Allgemeine-Forstzeitschrift* 28:756-759.
209. Habermehl A. and H. Ridder. 1995. Computerized tomographic investigations of street and park trees," *Arboricultural Journal* 19(4):419-437.
210. Habermehl A., H. Ridder, and P. Seidl. 1997. Computerized tomographic systems as tools for diagnosing urban tree health. in *International Symposium on Urban Tree Health* 496:261-268.
211. Hall, L. et al. 1986. Detection of hidden morphology of wood by magnetic resonance imaging. *Canadian Journal of Forest Research* 16(3):684-687.
212. Hamilton, W. and D. Marling. 1981. Large cavity work and cabling. *Journal of Arboriculture* 7(7):180-182.
213. Harris, A. 1999. *Wind in the forests of southeast Alaska and guidelines for reducing damage*, General Technical Report: USFS, Pacific Northwest Forest and Range Experiment Station, Portland, OR.

214. Harris, R. J. Clark, and N. Matheny. 2003. *Arboriculture: Integrated Management of Landscape Trees, Shrubs, and Vines*, 4th ed. Prentice Hall.
215. Hart, D. 1983. *Economic analysis of the Fomes annosus hazard tree removal program in Yosemite National Park*, Forest Pest Management Report. USDA Forest Service, Pacific Northwest Region.
216. Harvesting, F. and S. Module. Wildlife/Danger Tree Assessor's Course Workbook.
217. Harvey, R., P. Hessburg, and P. Region. 1992. *Long-range planning for developed sites in the Pacific Northwest: The context of hazard tree management*. Technical Paper. US Dept. of Agriculture, Forest Service, Pacific Northwest Region.
218. Hassinen, A. et al. 1998. A prism-based system for monitoring the swaying of trees under wind loading. *Agricultural Forest Meteorology* 90(3):187-194.
219. Hatfield, J. 1976. Judging potential for failure in western hemlock and Sitka spruce. in *Proceedings of the 24th Western International Forest Disease Work Conference* 27-30.
220. Hauer, R. W. Wang, and J. Dawson. 1993. Ice storm damage to urban trees. *Journal of Arboriculture* 19(4):184-194.
221. Hauer, R., M. Hruska, and J. Dawson. 1994. *Trees and ice storms: the development of ice storm-resistant urban tree populations*. University of Illinois at Urbana-Champaign, Urbana, IL.
222. Hauer, R., J. Dawson, and L. Werner. 2006. *Trees and ice storms: the development of ice storm-resistant urban tree populations*, 2nd Ed., Joint Publication Univ. of Wisconsin-Stevens Point and Univ. of Illinois at Urbana-Champaign.
223. Hayes, E. 2001. *Evaluating tree defects*, 2nd ed. Safetrees. Rochester, MN.
224. Hazard Tree and Tree Felling (HTTF) Task Group, National Wildfire Coordinating Group (U.S.). 2008. Principles of hazard tree risk management. Working paper, February 27, 2008.
225. Health and Safety Executive. 2007. *Management of the risk from fallen trees*, Sector Information Minute. HSE Field Operations Directorate. Sudbury, U.K.
226. Hedden, R., T. Fredericksen, and S. Williams. 1995. Modeling the effect of crown shedding and streamlining on the survival of loblolly pine exposed to acute wind. *Canadian Journal of Forest Research* 25(5):704-712.
227. Helliwell, D. 1990. Acceptable levels of risk associated with trees. *Arboricultural Journal* 14:159-162.
228. Henry, H. and S. Thomas. 2002. Interactive effects of lateral shade and wind on stem allometry, biomass allocation, and mechanical stability in *Abutilon theophrasti* (Malvaceae). *American Journal of Botany* 89(10):1609-1615.
229. Hepting, G., E. Roth, and B. Sleeth. 1949. Discolorations and decay from increment borings. *Journal of Forest Research* 47:336-370.
230. Herrel, A., T. Speck, and N. Rowe. 2006. *Ecology and Biomechanics: A Mechanical Approach to the Ecology of Animals*. CRC Press.
231. Heydt, M. 1988. Street trees and the law. *Journal of Arboriculture* 14(1):20-23.
232. Heydt, M. and R. Morrow. 1987. Somebody's gonna pay! *American Forests*.
233. Hickman, G. and E. Perry. 1997. *Ten common wood decay fungi on landscape trees—identification handbook*. Western Chapter, ISA. Sacramento.
234. Hickman, G., J. Caprille, and E. Perry. 1989. Oak tree hazard evaluation. *Journal of Arboriculture*. 15(8):177-184.

235. Hickman, G., E. Perry, and R. Evans. 1995. Validation of a tree failure evaluation system. *Journal of Arboriculture* 21(5):23-34.
236. Isik, F. and B. Li. 2003. Rapid assessment of wood density of live trees using the Resistograph for selection in tree improvement programs. *Canadian Journal of Forest Research* 33(12):2426-2435.
237. Jacobs, M. The effect of wind on trees. *Australian Forestry* 1:25-32.
238. Jaffe, M. and S. Forbes. 1993. Thigmomorphogenesis: the effect of mechanical perturbation on plants. *Plant Growth Regulation* 12(3):313-324.
239. James, K. and B. Kane. 2008. Precision digital instruments to measure dynamic wind loads on trees during storms. *Agricultural Forest Meteorology* In Press.
240. James, K., N. Haritos, and P. Ades. 2006. Mechanical stability of trees under dynamic loads. *American Journal of Botany* 93(10):1522-1530.
241. Jaouen, G. et al. 2007. How to determine sapling buckling risk with only a few measurements. *American Journal of Botany* 94(10):1583-1593.
242. Jellison, J. and C. Jasalavich. 2000. A review of selected methods for the detection of degradative fungi. *International Biodeterioration & Biodegradation* 46(3):241-244.
243. Jeronimidis, G. 1980. The fracture behavior of wood and the relations between toughness and morphology. in *Proceedings of the Royal Society of London*. 208:447-460.
244. Jim, C. 2001. Managing urban trees and their soil envelopes in a contiguously developed city environment. *Environmental Management* 28(6):819-832.
245. Jim, C. 2004. Evaluation of heritage trees for conservation and management in Guangzhou City (China). *Environmental Management* 33(1):74-86.
246. Jim, C. and H. Liu. Storm damage on urban trees in Guangzhou, China. *Landscape and Urban Planning* 38:45-59.
247. Johnson, D. 1981. *Tree hazards: recognition and reduction in recreation areas*. Technical Report. USDA Forest Service, Rocky Mountain Region State & Private Forestry. Lakewood, CO.
248. Johnson, G and B. Johnson. 1999. *Storm damage to landscape trees: prediction, prevention, treatment*. University of Minnesota Extension Service. St. Paul, MN.
249. Johnstone, D. et al. 2007. Predicting wood decay in eucalypts using an expert system and the IML-Resistograph drill. *Arboriculture & Urban Forestry* 33(2):76.
250. Kamimura, K. and N. Shiraishi. 2007. A review of strategies for wind damage assessment in Japanese forests. *Journal of Forest Research* 12(3):162-176.
251. Kane, B. 2007. Branch strength of Bradford pear (Pyrus calleryana var. 'Bradford'). *Arboriculture & Urban Forestry* 33(4):283-291.
252. Brian Kane, 2008. Tree failure following a windstorm in Brewster, Massachusetts, USA. *Urban Forestry & Urban Greening* 7(1):15-23.
253. Kane, B. and P. Clouston. 2008. Tree pulling tests of large shade trees in the genus Acer. *Arboriculture & Urban Forestry* 34(2):101-109.
254. Kane, B. and D. Ryan. 2002. Tree roots and hazard tree evaluation. *Tree Care Industry* 41-43.
255. Kane, B. and D. Ryan. 2004. The accuracy of formula used to assess strength loss due to decay in trees. *Journal of Arboriculture*. 30(6):347-356.
256. Kane, B. and D. Ryan. 2002. Discoloration and decay associated with hardware installation in trees. *Journal of Arboriculture* 28(4):187-193.

257. Kane, B. and D. Ryan. 2003. Examining formulas that assess strength loss due to decay in trees: woundwood toughness improvement in red maple (*Acer rubrum*). *Journal of Arboriculture* 29(4):207-217.
258. Kane, B. and E. Smiley. 2006. Drag coefficients and crown area estimation of red maple. *Canadian Journal of Forest Research*. 36(8):1951-1958.
259. Kane, B., D. Ryan, and D. Bloniarz. 2001. Comparing formulae that assess strength loss due to decay in trees. *Journal of Arboriculture* 27(2):78-87.
260. Brian Kane et al. 2008. Crown configuration and trunk stress in deciduous trees. *Canadian Journal of Forest Research*. in press.
261. Kappel, R. 1999. Field experience with tree decay detecting tools. *Acta Hort. ISHS*. 496:221-228.
262. Karlovich, D., J. Groninger, and D. Close. 2000. Tree condition associated with topping in Southern Illinois communities. *J. Arboriculture* 26(2):87-91.
263. Kennard, D., E. Putz, and M. Niederhofer. 1996. The predictability of tree decay based on visual assessments. *Journal of Arboriculture* 22(6):249-254.
264. Kersten, W. 2001. Infektionsgefahr durch den Einsatz invasiver Diagnosegeräte am lebenden Baum (Risk of infection by the employment of invasive diagnostic equipment in the living tree). in *Jahrbuch der Baumpflege (Yearbook of tree care)*, ed. A. Wohler and D. Dujesiefken. Thalacker, Braunschweig 194-202.
265. Kersten, W. and F. Schwarze. 2004. Development of decay in the sapwood of trees wounded by the use of decay detecting devices. *Arboricultural Journal* 28(3): 165-181.
266. Kerzenmacher, T. and B. Gardiner. 1998. A mathematical model to describe the dynamic response of a spruce tree to the wind. *Trees - Structure and Function* 12(6): 385-394.
267. King, D. 1986. Tree form, height growth and susceptibility to wind damage in *Acer saccharum*. *Ecology* 67(4):980-990.
268. Kong, E. 2000. *The hazard tree handbook*. Mogavis Design Group, Inc. Bremerton, WA.
269. Kosmala, M. and E. Roson-Szeryn'ska. 2003. The analysis of visual methods of low stability tree hazard assessment. *Annals of Warsaw Agricultural University, Horticulture (Landscape Architecture)*. 24:117-125.
270. Kowol, T. et al. 2001. Wundreaktionen und Pilzbefall im Holzkörpernach IML-Resistograph-und Zuwachsbohrer-Einsatz zur Baumuntersuchung im Bereich von Fäulen. (Wundreaktionen and fungal attack in Wood body after IML Resistograph and Increase drill employment to Tree investigation within the range of Fäulen). in *Jahrbuch der Baumpflege (Yearbook of tree care)*, ed. A. Wohler and D. Dujesiefken. Thalacker, Braunschweig 203-211.
271. Kubler, H. 1983. Mechanism of frost crack formation in trees--a review and synthesis. *Forest Science* 29(3):559-568.
272. Kühn, W. and J. Handl. 1973. On the detectability of decay in living trees by X-ray diagnose. *Holzforschung* 27:173-178.
273. Kuroda, Y. and K. Katsuya. 1983. Materials for the diagnosis of buttrot disease of Japanese larch by using a Shigometer: Part I. *Bull. Exp. For. Tsukuba Univ.* 1:17-20.
274. Kuroda, Y. and K. Katsuya. 1987. A diagnosis of heart rot of Japanese larch with borescopes. *Bull. Exp. For. Tsukuba Univ.* 3:83-87.

275. Kuroda, Y. and K. Katsuya. Materials for the diagnosis of buttrot disease of Japanese larch by using a Shigometer: Part II. *Bull. Exp. For. Tsukuba Univ.* 4:167-171.
276. Kuroda, Y., M. Ohsawa, and K. Katsuya. 1994. Stem breakage caused by butt-rot in an artificial Japanese larch (*Larix leptolepis*) forest. *Journal of the Japanese Forestry Society* 76(2):157-159.
277. Lachance, D. 1977. Detection of stem rot by radiography in white spruce. *Phytoprotection* 58:2-3.
278. Laflamme, G. 1979. Discoloured wood of aspen caused by increment boring. *Forest Pathology* 9(1):15-18.
279. Landsberg, J. and G. James. 1971. Wind profiles in plant canopies: studies on an analytical model. *J. Applied Ecology* 8(3):729-741.
280. Larsson, B., B. Bengtsson, and M. Gustafsson. 2004. Nondestructive detection of decay in living trees. *Tree Physiology* 24:853-858.
281. Lawday, G. and P. Hodges. The analytical use of stress waves for the detection of decay in standing trees. *Forestry* 73(5):447-456.
282. Leben, C. 1985. Wound occlusion and discolouration columns in red maple. *New Phytologist* 99(3):485-490.
283. Leininger, T., D. Schmoldt, and F. Tainter. 2001. Using ultrasound to detect defects in trees: current knowledge and future needs. in *Proceedings of the 1st International Precision Forestry Cooperative Symposium*.
284. LeMay, V., D. Tait, and B. van der Kamp. 1994. Classification of cedar, aspen, and true fir trees as decayed versus sound. *Canadian Journal of Forest Research* 24(10):2068-2077.
285. Lesnino, G., E. Brudi, and C. Spieß. 2000. Kronensicherung mit dem cobra-System - Erfolgskontrolle nach fünf Jahren Einsatzdauer (Crown protection with the Cobra System - control after five years)," in *Jahrbuch der Baumpflege (Yearbook of tree care)*, ed. D. Dujesiefken and P. Kockerbeck. Thalacker Medien, Braunschweig. 111-118.
286. Lilly, S. and T. Sydnor. 1995. Comparison of branch failure during static loading of silver and norway maples. *Journal of Arboriculture*. 21:302-305.
287. Lindström, H., P. Harris, and R. Nakada. 2002. Methods for measuring stiffness of young trees. *Holz als Roh- und Werkstoff* 60(3):165-174.
288. Lohmander, P. and F. Helles. 1987. Windthrow probability as a function of stand characteristics and shelter. *Scandinavian Journal of Forest Research* 2(2):227-238.
289. Lonsdale, D. 1990. *Treatment of storm-damaged trees*. Arboriculture Research Note. AAIS.
290. Lonsdale, D. 1999. *Principles of Tree Hazard Assessment and Management*. Forestry Commision of Great Britain. Stationery Office. London.
291. Lonsdale, D. 2000. *Hazards from trees - a general guide*. Forestry Commission. Edinburgh, UK.
292. Lonsdale, D. 2000. *Hazards from trees: a general guide*. Forestry Commission. Edinburgh, U.K.
293. Lonsdale, D. 2007. Current issues in arboricultural risk assessment and management. *Arboricultural Journal* 30(2):163-174.
294. Lorenz, R. 1944. Discolorations and decay resulting from increment borings in hardwoods. *Journal of Forestry* 42:37-43.

295. Lorenzo, M. *Managing hazardous trees: Vermont danger tree management guidelines*. Vermont Department of Labor and Industry.
296. Luley, C. 2005. *Wood decay fungi common to living urban trees in the Northeast and Central United States*. Urban Forestry LLC, Naples, NY.
297. Luley, C. and J. Bond. 2006. Evaluation of the fate of ice storm-damaged urban maple (*Acer*) trees. *Arboriculture & Urban Forestry* 32(5):214-220.
298. Luley, C., S. Sisinni, and A. Pleninger. 2002. The effect of pruning on service requests, branch failures, and priority maintenance in the city of Rochester, New York, US. *Journal of Arboriculture* 28(3):137-142.
299. Luley, C., S. Sisinni, and A. Pleninger. 2002. The effect of wind gust on branch failures. in *Tree Structure and Mechanics Conference Proceedings. How Trees Stand Up and Fall Down*. Smiley, E. and K. Coder. eds. ISA. Champaign, IL. 103-109.
300. Lundström, T., et al. 2007. Anchorage of mature conifers: resistive turning moment, root-soil plate geometry and root growth orientation. *Tree Physiology* 27:1217-1227.
301. Lundström, T., M. Jonsson, and M. Kalberer. 2007. The root-soil system of Norway spruce subjected to turning moment: resistance as a function of rotation. *Plant and Soil* 300(1):35-49.
302. MacDaniels, L. 1932. Factors affecting the breaking strength of apple tree crotches. *Proceedings of the American Society for Horticultural Science* 29(44).
303. Manning, T. 2001. *Dangerous tree report: British Columbia's dangerous tree assessment process; implications for worker safety*. I.W.A. Canada-Forest Industry SAFER Council , Weyerhaeuser - B.C. Coastal Group, Ministry of Forests. Forest Practices Branch.
304. Manning, T. et al. 2002. British Columbia's dangerous tree assessment process," *USDA Forest Service Gen. Tech. Rep. PSW-GTR-181*.
305. Markwardt, L. 1930. *Comparative strength properties of woods grown in the United States*. Technical bulletin. United States Dept. of Agriculture.
306. Matheny, N. and J. Clark. 1994. *A photographic guide to the evaluation of hazard trees in urban areas*, 2nd ed. International Society of Arboriculture, Champaign, IL.
307. Matheny, N. and J. Clark. 2007. Managing risk in the urban forest, Part 4: Tree infrastructure conflicts. *Arborist News*.
308. Matheny, N. and J. Clark. 2007. Managing risk in the urban forest, Part 3: Risk in the urban forest. *Arborist News*.
309. Matheny, N. and J. Clark. 2007. Managing risk in the urban forest, Part 2: Tree risk assessment. *Arborist News*.
310. Matheny, N. and J. Clark. 2007. Managing risk in the urban forest. *Arborist News*.
311. Matheny, N. et al. 1999. Assessment of fracture moment and fracture angle in 25 tree species in the United States using the Fractometer. *Journal of Arboriculture* 25(1):18-23.
312. Matlack, G., S. Gleeson, and R. Good. 1993. Treefall in a mixed oak-pine coastal plain forest: immediate and historical causation. *Ecology* 74(5):1559-1566.
313. Matteck, C. et al. 1995. Use of the fractometer to determine the strength of wood with incipient decay. *Journal of Arboriculture* 21:105.
314. Matteck, C. 1995. Biomechanical optimum in woody stems. in *Plant Stems: Physiology and Functional Morphology*, ed. B. Gartner. Academic Press.

315. Matteck, C. and K. Bethge. 1992. Impulshammer zum Auffinden von Faulstellen in Baumen. *Deutscher Gartenbau*.
316. Matteck, C. and K. Bethge. 2005. A critic of the static integrated analysis (SIA) method. *Arboricultural Journal* 28(3):191-200.
317. Matteck, C., K. Bethge, and J. Schäfer. 1993. Safety factors in trees. *Journal of Theoretical Biology*. 165(2):185-189.
318. Matteck, C. et al. 2002. A new failure criterion for non decayed solitary trees. *Arboricultural Journal* 26(1):43-54.
319. Mattheck, C. 1990. Why they grow, how they grow: The mechanics of trees. *Arboricultural Journal* 14(3):1-17.
320. Mattheck, C. 1990. Engineering components grow like trees. *Materialwissenschaft und Werkstofftechnik (Materials Science and Engineering)* 21:143-168.
321. Mattheck, C. 1991. *Trees. The mechanical design*. Springer. Berlin, Germany.
322. Mattheck, C. 1998. *Design in nature: learning from trees*. Springer. Berlin, Germany.
323. Mattheck, C. and K. Bethge. 1990. Wind breakage of trees initiated by root delamination. *Trees - Structure and Function* 4(4):225-227.
324. Mattheck, C. and K. Bethge. 1991. Failure of trees induced by delamination. *Arboricultural Journal* 15:243-253.
325. Mattheck, C. and K. Bethge. 1993. Detection of decay in trees with the Metriguard stress wave timer. *Journal of Arboriculture* 19(6):374–378.
326. Mattheck, C. and K. Bethge. 1998. The mechanical survival strategy of trees. *Arboricultural Journal* 22(4):369-386.
327. Mattheck, C. and K. Bethge. 1998. The structural optimization of trees,” *Naturwissenschaften (Natural Sciences)*. 85(1):1-10.
328. Mattheck, C. and K. Bethge. 2000. Simple mathematical approaches to tree biomechanics. *Arboricultural Journal* 24(4):307-326.
329. Mattheck, C. and H. Breloer. 1992. *Feldanleitung für Baumkontrollen mit VTA*. Landschaftsarchitektur.
330. Mattheck, C. and H. Breloer. 1993. *Handbuch der Schadenskunde von Bäumen - der Baumbruch in Mechanik und Rechtsprechung*. Rombach Verlag. Friburg, Germany.
331. Mattheck, C. and H. Breloer. 1994. Field guide for visual tree assessment (VTA). *Arboricultural Journal* 18:1–23.
332. Mattheck, C. and H. Breloer. 1994. *The body language of trees: a handbook for failure analysis*. HMSO.
333. Mattheck, C. and H. Kubler. 1995. *Wood: the internal optimization of trees*. Springer.
334. Mattheck, C. and U. Vorberg. 1991. The biomechanics of tree fork design. *Botanica Acta* 104(5):399-404.
335. Mattheck, C., K. Bethge, and D. Erb. 1993. Failure criteria for trees. *Arboricultural Journal* 17:201-209.
336. Mattheck, C., H. Breloer, and K. Bethge. 1994. A guide to fractometer tree assessment. *Arborist News* 3(2):9-12.
337. Mattheck, C., K. Bethge, and P. West. 1994. Breakage of hollow tree stems. *Trees - Structure and Function* 9(1):47-50.

338. Mattheck, C., K. Bethge, and W. Albrecht. 1995. Failure modes of trees and related failure criteria. *Wind and trees*. ed. M. Coutts and J. Grace. Cambridge University Press, Cambridge, UK. 195–203.
339. Mattheck, C., K. Bethge, and W. Albrecht. 1997. How to read the results of resistograph M. *Arboricultural Journal* 21:331-346.
340. Mattheck, C., M. Teschner, and J. Schäfer. 1997. Mechanical Control of Root Growth: A Computer Simulation. *Journal of Theoretical Biology* 184(3):261-269.
341. Mattheck, C., K. Bethge, and I. Tesari. 2006. Shear effects on failure of hollow trees. *Trees - Structure and Function*. 20(3):329-333.
342. Mayer, H. 1987. Wind-induced tree sways. *Trees - Structure and Function*. 1(4):195-206.
343. Mayer, H. et al. 1989. Windthrow. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 324(1223):267-281.
344. Mayhead, G. 1973. Some drag coefficients for British forest trees derived from wind tunnel studies. *Agricultural Forest Meteorology* 12:123-130.
345. McCracken, F. 1985. Using sound to detect decay in standing hardwood trees. in *Proceedings, 5th Symposium on Nondestructive Testing of Wood*. Washington State Univ., Pullman, WA 281-287.
346. McMahon, T. and R. Kronauer. 1976. Tree structures: Deducing the Principle of Mechanical Design. *Journal of Theoretical Biology* 59(2):443-466.
347. Mercer, P. 1979. Three-dimensional mapping of stain and decay columns in trees. *Annals of Applied Biology*. 91(1):107-112.
348. Mercer, P. 1987. *The detection of decay in trees with particular reference to the use of the Shigometer*, Arboriculture Research Note. Arboricultural Advisory and Information Service. Farnham, Surrey, U.K.
349. Mergen, F. 1954. Mechanical aspects of wind-breakage and windfirmness. *Journal of Forestry*. 52(2):119-125.
350. Merullo, V. 1988. Liabilities and duties associated with trees which abut streets and highways. *Journal of Arboriculture* 14(5):129-131.
351. Merullo, V. and M. Valentine. 2004. *Arboriculture and the Law*. International Society of Arboriculture. Champaign, IL.
352. Meunier, S. et al. 2002. Comparative resistance of white spruce and balsam fir to overturning. *Canadian Journal of Forest Research* 35:642-652.
353. Meyer, W. and S. Hayward. 1936. Effect of increment boring on Douglas fir,” . *Journal of Forestry*. 34:867-869.
354. Mickovski, S., A. Stokes, and L. van Beek. 2005. A decision support tool for windthrow hazard assessment and prevention. *Forest Ecology and Management* 216:64-76.
355. Miller, V. 1959. Crotch influence on strength and breaking point of apple tree branches. in *Proceedings of the American Society for Horticultural Science*. 73:23-32.
356. Miller, K. 1985. *Windthrow hazard classification*. Forestry Commission Leaflet. Forestry Commission Research Station, Alice Holt Lodge. Surrey, UK.
357. Miller, W. 1989. Application of ground-penetrating radar to detection of internal defect in standing trees. in *Proceedings of the Seventh International Symposium on Nondestructive Testing of Wood*. Pullman, WA 262-273.

358. Mills, L. and K. Russell. 1981. *Detection and correction of hazard trees in Washington's Recreation Areas*. Washington Department of Natural Resources.
359. Milne, R. and P Blackburn. 1989. The elasticity and vertical distribution of stress within stems of *Picea sitchensis*. *Tree Physiology* 5(2):195-205.
360. Minnesota Department of Natural Resources and USDA Forest Service. 1996. *How to recognize hazardous defects in trees*.
361. Mitchell, S. 1995. The windthrow triangle: A relative windthrow hazard assessment procedure for forest managers. *Forestry Chronicle* 71(4):446-450.
362. Mitchell, S. 1998. A diagnostic framework for windthrow risk estimation. *Forestry Chronicle* 74(1):100-105.
363. Moore, W. 1998. Outilage pour la detection des defauts internes des arbres - Resultats de 14 ans d'experience 2 ere partie (Tools for detecting internal defects in trees - Results of 14 years of experiments, part 2). *La Foret Prive (The Private Forest)* 240:23-39.
364. Moore, W. 1998. Outilage pour la detection des defauts internes des arbres - Resultats de 14 ans d'experience. 1 ere partie (Tools for detecting internal defects in trees - Results of 14 years of experiments). *La Foret Prive (The Private Forest)* 240:23-39.
365. Moore, W. 1999. The combined use of the resistograph and the Shigometer for the accurate mapping and diagnosis of the internal condition of woody support organs of trees. *Abricultural Journal* 23:274-87.
366. Moore, J. 2000. Differences in maximum resistive bending moments of *Pinus radiata* trees grown on a range of soil types. *Forest Ecology and Management* 135:63-71.
367. Moore, J. 2002. Mechanical behaviour of coniferous trees subjected to wind loading. PhD Dissertation. Oregon State University.
368. Moore, J. and D. Maguire. 2002. The mechanics of trees under wind loading. in *Tree Structure and Mechanics Conference Proceedings*, ed. E. Smiley and K. Coder. International Society of Arboriculture, Champaign, IL.
369. Moore, J. and D. Maguire. 2005. Natural sway frequencies and damping ratios of trees: influence of crown structure. *Trees - Structure and Function* 19(4):363-373.
370. Morgan, J. and M. Cannell. 1987. Structural analysis of tree trunks and branches: tapered cantilever beams subject to large deflections under complex loading. *Tree Physiology* 3(4):365-374.
371. Morgan, J. and M. Cannell. 1994. Shape of tree stems - a re-examination of the uniform stress hypothesis. *Tree Physiology* 14:49-62.
372. Mortimer, M. and B. Kane. 2004. Hazard tree liability in the United States: Uncertain risks for owners and professionals. *Urban Forestry & Urban Greening* 2(3):159-165.
373. Müller, U. et al. 2001. Detection of fungal wood decay using magnetic resonance imaging. *Holz als Roh-und Werkstoff* 59(3):190-194.
374. Müller, U., W. Gindl, and G. Jeronimidis. 2006. Biomechanics of a branch – stem junction in softwood. *Trees - Structure and Function* 20(5):643-648.
375. Mynors, C. 2002. *The law of trees, forests and hedgerows*. Sweet and Maxwell, London.
376. Nagaishi, N. et al. 1997. Detection of decay and cavity in standing trees by stress wave velocity measurement. *Journal of Tree Health* 1:35-42.

377. Nanami, N. et al. 1992. Measuring the properties of standing trees with stress waves, 2: Application of the method to standing trees. *Journal of the Japan Wood Research Society* 38(8):747-752.
378. Nanami, N. et al. 1992. Measuring the properties of standing trees with stress waves, 1: The method of measurement and the propagation path of the waves. *Journal of the Japan Wood Research Society* 38(8):739-746.
379. Nanami, N. et al. 1993. Measuring the properties of standing trees with stress waves, 3: Evaluating the properties of standing trees for some forest stands. *Journal of the Japan Wood Research Society* 39(8):903-909.
380. Nicoll, B. and D. Ray. 1996. Adaptive growth of tree root systems in response to wind action and site conditions. *Tree Physiology* 16:891-898.
381. Nicoll, B. et al. 2005. Does steep terrain influence tree stability? A field investigation. *Canadian Journal of Forest Research* 35(10):2360-2367.
382. Nicolotti, G. and P. Miglietta. 1998. Using high-technology instruments to assess defects in trees. *Journal of Arboriculture* 24(6):297-302.
383. Nicolotti, G. et al. 2003. Application and comparison of three tomographic techniques for detection of decay in trees. *Journal of Arboriculture* 29:66-78.
384. Nicolotti, G., P. Gonthier, and D. Pecollo. 2004. Ecologia e grado di preferenza d'ospite dei funghi agenti di carie/ I parte. *Acer* 1:47-51.
385. Niklas, K. 1992. *Plant biomechanics: an engineering approach to plant form and function*. University Of Chicago Press, Chicago, IL.
386. Niklas, K. 1994. Interspecific allometries of critical buckling height and actual plant height. *American Journal of Botany* 81(10):1275-1279.
387. Niklas, K. 1997. Mechanical properties of black locust (*Robinia pseudoacacia* L.) wood. Size- and age-dependent variations in sap- and heartwood. *Annals of Botany* 79:265.
388. Niklas, K. 1999. Variations of the mechanical properties of *Acer saccharum* roots. *Journal of Experimental Botany* 50(331):193-200.
389. Niklas, K. 1999. The mechanical role of bark. *American Journal of Botany* 86(4):465-469.
390. Niklas, K. 1999. Changes in the factor of safety within the superstructure of a dicot tree. *American Journal of Botany* 86(5):688-696.
391. Niklas, K. 2000. Computing factors of safety against wind-induced tree stem damage. *Journal of Experimental Botany* 51(345):797-806.
392. Niklas, K. 2002. Wind, size and tree safety. in *Tree Structure and Mechanics Conference Proceedings: how trees stand up and fall down*. ed. E. Smiley and K. Coder. International Society of Arboriculture, Champaign, IL.
393. Niklas, K. 2002. Wind, size, and tree safety. *Journal of Arboriculture* 28(2):84-93.
394. Niklas, K. and H. Spatz. Wind-induced stresses in cherry trees: evidence against the hypothesis of constant stress levels. *Trees-Structure and Function* 14(4):230-237.
395. Niklas, K. and H. Spatz. 2006. Allometric theory and the mechanical stability of large trees: proof and conjecture. *American Journal of Botany* 93(6):824-828.
396. Niklas, K. and T. Speck. 2001. Evolutionary trends in safety factors against wind-induced stem failure. *American Journal of Botany* 88(7):1266-1278.
397. Niklas, K., H. Spatz, and J. Vincent. 2006. Plant biomechanics: an overview and prospectus. *American Journal of Botany* 93(10):1369-1378.

398. Norris, M. 2006. The elements of tree risk assessments.
399. Oh, S. et al. 2003. Detection and species identification of wood-decaying fungi by hybridization of immobilized sequence-specific oligonucleotide probes with PCR-amplified fungal ribosomal DNA internal transcribed spacers. *Holzforschung* 57(4):346-352.
400. Oliver, H. and G. Mayhead. 1974. Wind measurements in a pine forest during a destructive gale. *Forestry* 47(2):185-194.
401. Onwona-Agyeman, S. et al. 1995. Seasonal changes in the modulus of elasticity of living branches of three coniferous species. *Ecological Research* 10(2):199-206.
402. Ossenbruggen, P., M. Peters, and A. Shigo. 1986. Potential failure of a decayed tree under wind loading. *Wood and Fiber Science*. 18(1):168-186.
403. Ouis, D. 1999. Vibrational and acoustical experiments on logs of spruce. *Wood Science and Technology*. 33(2):151-184.
404. Ouis, D. 2003. Non-destructive techniques for detecting decay in standing trees. *Arboricultural J.* 27(2):159-178.
405. Päätalo, M., H. Peltola, and S. Kellomäki. 1999. Modeling the risk of snow damage to forests under short-term snow loading. *Forest Ecology and Management* 116:51-70.
406. Paine, L. 1966. *Accidents caused by hazardous trees on California forest recreation sites*. Research Note PSW-133. Pacific Southwest Forest and Range Experiment Station, Forest Service, US Dept. of Agriculture, Berkeley, CA.
407. Paine, L. 1967. *Effective tree hazard control on forested recreation sites - losses and protection costs evaluated*., Research Note PSW-157. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
408. Paine, L. 1967. *Tree hazard control on recreation sites - estimating local budgets*, Research Note PSW-260. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
409. Paine, L. 1971. *Accident Hazard Evaluation and Control Decisions on Forested Recreation Sites*. Research Paper PSW-68. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
410. Paine, L. 1973. *Administrative goals and safety standards for hazard control on forested recreation sites*. Research Paper PSW-88. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
411. Paine, L. 1978. *Coding hazardous tree failures for a data management system*. General Technical Report PSW-29. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
412. Paine, L. and J. Clarke. 1978. *Tree failures and accidents in recreation areas: A guide to data management for hazard control*. General Technical Report PSW-24. USDA Forest Service. Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
413. Papesch, A., J. Moore, and A. Hawke. 1997. Mechanical stability of *Pinus radiata* trees at Eyrewell Forest investigated using static tests. *New Zealand Journal of Forestry Science* 27:188-204.
414. Peacock, W., S. Brody, and W. Highfield. 2005. Hurricane risk perceptions among Florida's single family homeowners. *Landscape and Urban Planning* 73:120-135.
415. Pearce, R. 1991. Reaction zone relics and the dynamics of fungal spread in the xylem of woody angiosperms. *Physiological and Molecular Plant Pathology* 39(1):41-55.

416. Pearce, R. 2000. Decay development and its restriction in trees. *Journal of Arboriculture* 26(1):1-11.
417. Pearce, R. et al. 1994. Non-invasive imaging of fungal colonization and host response in the living sapwood of sycamore (*Acer pseudoplatanus* L.) using nuclear magnetic resonance. *Physiological and Molecular Plant Pathology* 45(5):359-384.
418. Pellerin, R. and R. Ross. 2002. *Nondestructive evaluation of wood*. Forest Products Society. Madison, WI: Forest Products Society.
419. Peltola, H. 2006. Mechanical stability of trees under static loads. *American Journal of Botany*. 93(10):1501-1511.
420. Peltola, H. et al. 1993. Swaying of trees as caused by wind: analysis of field measurements. *Silva Fennica* 27:113-126.
421. Peltola, H., M. Nykänen, and S. Kellomäki. 1997. Model computations on the critical combination of snow loading and windspeed for snow damage of Scots pine, Norway spruce and birch sp. at stand edge. *Forest Ecology and Management* 95(3):229-241.
422. Peltola, H. et al. 1999. A mechanistic model for assessing the risk of wind and snow damage to single trees and stands of Scots pine, Norway spruce, and birch. *Canadian Journal of Forest Research* 29:647-661.
423. Peltola, H. et al. 2000. Mechanical stability of Scots pine, Norway spruce and birch: an analysis of tree-pulling experiments in Finland. *Forest Ecology and Management* 135:143-153.
424. Peters, M., P. Ossenbruggen, and A. Shigo. Cracking and failure behavior models of defective balsam fir trees. *Holzforschung* 39(3):125-135.
425. Peterson, C. 2000. Catastrophic wind damage to North American forests and the potential impact of climate change. *The Science of the Total Environment* 262(3):287-311.
426. Peterson, C. 2007. Consistent influence of tree diameter and species on damage in nine eastern North America tornado blowdowns. *Forest Ecology and Management* 250:96-108.
427. Petty, J. and C. Swain. Factors influencing stem breakage of conifers in high winds. *Forestry* 58(1):75-84.
428. Piirto, D. 1977. Factors associated with tree failure of giant sequoia. PhD Dissertation. University of California, Berkeley.
429. Piirto, D. and W. Wilcox. 1978. Critical evaluation of the pulsed-current resistance meter for detection of decay in wood. *Forest Products Journal* 28(1):52-57.
430. Pluciński, M., S. Pluciński, and I. Rodríguez-Iturbe. 2008. Consequences of the fractal architecture of trees on their structural measures. *Journal of Theoretical Biology*. 251(1):82-92.
431. Pokorny, J. et al. 2003. *Urban tree risk management: a community guide to program design and implementation*. USDA Forest Service. Northeastern Area. St. Paul, MN.
432. Proulx, O. and D. Greene. The relationship between ice thickness and northern hardwood tree damage during ice storms. *Canadian Journal of Forest Research* 31(10):1758-1767.
433. Quine, C. and P. Bell. 1998. Monitoring of windthrow occurrence and progression in spruce forests in Britain. *Forestry* 71(2):87-97.
434. Rabe, C. et al. 2004. Detection of decay in trees with stress waves and interpretation of acoustic tomograms. *Arboricultural Journal* 28:3-19.

435. Raczkowski, J. et al. 1999. Detection of early stages of wood decay by acoustic emission technique. *Wood Science and Technology* 33(5):353-358.
436. Rakochy, P. and C. Hawkins. 2006. *BC Journal of Ecosystems and Management* 7(2):72-30.
437. Rast, E., J. Beaton, and D. Sonderman. 1989. *Photographic guide of selected external defect indicators and associated internal defects in white oak*. USDA Forest Service. Northeastern Forest Experiment Station. Broomall, PA.
438. Rayner, A. 1993. New avenues for understanding processes of tree decay. *Arboricultural Journal* 17:171-189.
439. Read, J. and A. Stokes. 2006. Plant biomechanics in an ecological context. *American Journal of Botany*. 93(10):1546-1565.
440. Region, N. 2000. *Northern region snag management protocol*.
441. Reuter, M. 2000. Evaluation of non-destructive testing methods for timber quality assessment on standing trees in mixed hill dipterocarp forests in Sarawak, Malaysia. Hamburg University.
442. Rich, P. et al. 1986. Height and stem diameter relationships for dicotyledonous trees and arborescent palms of Costa Rican tropical wet forest. *Bulletin of the Torrey Botanical Club* 113(3):241-246.
443. Rinn, F. 1992. Neuentwickeltes Bohrgerät zur Holzdichtemessung (Newly developed drilling device for measuring wood density). *Das Gartenamt* 2:119-121.
444. Rinn, F. 1994. Bohrwiderstandsmessungen mit Resistograph-Mikrobohrungen (Drilling resistance tests with Resistograph Mikrobohrungen). *Allgemeine-Forstzeitschrift* 49:652-654.
445. Rinn, F., B. Becker, and B. Kromer. Penetration-resistance measurements: density profiles of conifers and deciduous trees. in *Proceedings of the International Dendrological Symposium*. in Tree Rings and Environment. Ystad, Sweden. 274-276.
446. Rinn, F., F. Schweingruber, and E. Schar. 1996. Resistograph and X-ray density charts of wood comparative evaluation of drill resistance profiles and x-ray density charts of different wood species. *Holzforschung* 50:303-311.
447. Rinn, F., F. Schweingruber, and E. Schär. 1996. Resistograph and X-ray density charts of wood. *Holzforschung* 50:303-311.
448. Robbins, K. 1986. *How to Recognize and Reduce Tree Hazards in Recreation Sites*. US Dept. of Agriculture, Forest Service. Northern Area State & Private Forestry. Broomall, PA.
449. Roodbaraky, H. et al. 1994. Experimental observations of urban trees in high winds. *Journal of Wind Engineering and Industrial Aerodynamics* 52:171-84.
450. Rooney, C. et al. 2005. The reliability of a windshield survey to locate hazards in roadside trees. *Journal of Arboriculture* 31(2):89-94.
451. Rosell, J. and M. Olson. 2007. Testing implicit assumptions regarding the age vs. size dependence of stem biomechanics using Pittocaulon (Senecio) praecox (Asteraceae). *American Journal of Botany* 94(2):161-172.
452. Roson-Szeryn'ska, E. 2004. Species resistance and tree stability. in Annals of Warsaw Agricultural University 25. Warsaw Agricultural University Press. 253-264.
453. Ross, R. 1999. Using sound to detect decay in standing timber. *International Forestry Review* 1. 1:43-44.

454. Rowan, C., S. Mitchell, and H. Temesgen. Effectiveness of clearcut edge windfirming treatments in coastal British Columbia: short-term results. *Forestry* 76(1):55-65.
455. Rudnicki, M., S. Mitchell, and M. Novak. 2004. Wind tunnel measurements of crown streamlining and drag relationships for three conifer species. *Canadian Journal of Forest Research* 34(3):666-676.
456. Rudnicki, M. et al. 1995. Measure of simultaneous tree sways and estimation of crown interactions among a group of trees. *Trees - Structure and Function* 15:83-90.
457. Ruel, J. 1995. Understanding windthrow: Silvicultural implications. *Forestry Chronicle*. 71(4):434-445.
458. Ruel, J. 2000. Factors influencing windthrow in balsam fir forests: from landscape studies to individual tree studies. *Forest Ecology and Management* 135:169-178.
459. Ruel, J. and D. Pin. 1993. Windthrow along electrical distribution lines in a rural setting. *Journal of Arboriculture*. 19(5):271-277.
460. Ruel, J. et al. 1997. The estimation of wind exposure for windthrow hazard rating: comparison between Strongblow, MC2, Topex and a wind tunnel study. *Forestry* 70(3):253-266.
461. Ruel, J., D. Pin, and K. Cooper. 2001. Windthrow in riparian buffer strips: effect of wind exposure, thinning and strip width. *Forest Ecology and Management* 143:105-113.
462. Ruel, J., S. Mitchell, and M. Dornier. 2002. A GIS Based Approach to Map Wind Exposure for Windthrow Hazard Rating. *Northern Journal of Applied Forestry* 19:183-187.
463. Rushforth, K. 1979. *Summer branch drop*. Arboriculture Research Note. Forestry Commission. HMSO.
464. Ryall, K. and S. Smith. 2005. Patterns of damage and mortality in red pine plantations following a major ice storm. *Canadian Journal of Forest Research* 35(2):437-493.
465. D. Ryan. 1989. IPM and hazard tree liability. *Journal of Arboriculture* 15(9):219-221.
466. Sambuelli, L. et al. 2003. Ultrasonic, electric and radar measurements for living trees assessment. *Bollettino di Geofisica Teorica ed Applicata. (Bulletin of Theoretical and Applied Geophysicist)* 44:253-279.
467. Sandoz, J. and P. Lorin. 1996. Tares iares internes de bois sur pied : Détection par ultrasons (Internal defects in standing timber: ultrasound detection). *Revue Forestiere Francaise*. 48(3):231-240.
468. Schaetzl, R. et al. 1989. Tree uprooting: review of terminology, process, and environmental implications. *Canadian Journal of Forest Research* 19(1):1-11.
469. Schröder, K. 1993. The double belt system for tree crown stabilization. *Arboricultural Journal* 17(4):375-384.
470. Schröder, K. 2004. Securing of break-endangered tree crowns. in International Congress on the Trees of History, Torino.
471. Schubert, S. et al. 2005. Resonant ultrasound spectroscopy applied to wood: comparison of the shear modulus of wood before and after exposure to fungal pathogens. in The 14th Int. Symp. of NDT of Wood, Hannover, Germany.
472. Schwartz, V., A. Habermehl, and H. Ridder. 1989. Non-destructive detection of interior trunk and wound caused decay in living trees by computerized tomography. *Forstarchiv* 60(6):239-245.

473. Schwarze, F. 2001. Development and prognosis of decay in the sapwood of living trees. *Arboricultural J.* 25:321-337.
474. Schwarze, F. and S. Baum. 2000. Mechanisms of reaction zone penetration by decay fungi in wood of beach. *New Phytologist*. 146:129-140.
475. Schwarze, F. and D. Ferner. 2003. Ganoderma on trees - differentiation of species and studies of invasiveness. *Arboricultural Journal* 27:59-77.
476. Schwarze, F. and S. Fink. 1994. Ermittlung der Holzzersetzung am lebenden Baum. - Möglichkeiten und Grenzen verschiedener Diagnosemethoden zur Erfassung von Holzzersetzungsmustern (Determination of the wood decay at the living tree. - Possibilities and borders of different diagnostic methods for the collection of wood decay samples. *Neue Landschaft* 39:182-193.
477. Schwarze, F. and S. Fink. 1994. Die Ermittlung der Holzzersetzungsmuster am lebenden Baum. *Neue Landschaft*.
478. Schwarze, F. and S. Fink. 1997. Reaction zone penetration and prolonged persistence of xylem rays in London plane wood degraded by the basidiomycete *Inonotus hispidus*. *Mycological Research* 101:1207-1214.
479. Schwarze, F., C. Mattheck, and H. Breloer. 1993. Der sprode Baumbruch-verursacht durch Brandkrustenpilz. *Neue Landschaft*.
480. Schwarze, F., D. Lonsdale, and C. Matteck. 1995. Detectability of wood decay caused by *Ustulina deusta* in comparison with other tree-decay fungi. *Forest Pathology* 25:327-341.
481. Schwarze, F., D. Lonsdale, and S. Fink. 1997. An overview of wood degradation patterns and their implications for tree hazard assessment. *Arboricultural Journal* 21(1): 1-32.
482. Schwarze, F., C. Mattheck, and J. Engels. 2000. *Fungal strategies of wood decay in trees*. Springer. Berlin, Germany.
483. Schwarze, F., J. Engels, and Claus Matteck. 2004. *Fungal strategies of wood decay in trees*, 2nd ed. Springer. Berlin, Germany.
484. Seaby, D. 1990. Recent advances in detection of wood decay. in *Research for Practical Arboriculture*, ed. S. Hodge. Forestry Commission Bulletin 97 HSMO. London, U.K, 168-176.
485. Sharon, E. 1985. *Assessment of hazard trees within developed campgrounds in the Rocky Mountain region*. Timber, Forest Pest, and Cooperative Forestry Management. Rocky Mountain Region, USDA Forest Service.
486. Sharon, E. 1987. Tree health management: evaluating trees for hazard. *Journal of Arboriculture* 13(12):285-293.
487. Sharon, E. 1989. Tree failures, risk and reasonableness: a common sense approach," *Arboricultural Journal* 13:193-209.
488. Shigo, A. 1967. Successions of organisms in discoloration and decay of wood. *International Review of Forestry Research* 2. 237-299.
489. Shigo, A. 1979. *Tree decay: An expanded concept*. Agriculture Information Bulletin. USDA Forest Service.
490. Shigo, A. 1979. Compartmentalization of decay associated with *Heterobasidion annosum* in roots of *Pinus resinosa*. *Forest Pathology* 9(6):341-347.
491. Shigo, A. 1983. *Tree defects: a photo guide*. General Technical Report. USFS, Northeast Forest and Range Experiment Station. Broomall, PA.

492. Shigo, A. 1984. How to assess the defect status of a stand. *Northern Journal of Applied Forestry*. 1(3):41-49.
493. Shigo, A. 1984. Compartmentalization: a conceptual framework for understanding how trees grow and defend themselves. *Annual Review Phytopathology* 22:189-214.
494. Shigo, A. 1985. How tree branches are attached to trunks. *Canadian J. Botany* 63:1391-1401.
495. Shigo, A. 1989. Branch failures: a closer look at crack drying. *Journal of Arboriculture* 15(1):11-12.
496. Shigo, A. and W. Hillis. 1973. Heartwood, Discolored Wood, and Microorganisms in Living Trees. *Annual Review of Phytopathology* 11:197-222.
497. Shigo, A. and E. Larson. 1969. *Photo guide to the patterns of discoloration and decay in living northern hardwood trees*. Research Paper. USDA Forest Service.
498. Shigo, A. and H. Marx. 1977. *Compartmentalization of decay in trees*. Agricultural Information Bulletin. USDA Forest Service.
499. Shigo, A. 1974. *Detection of discoloration and decay in living trees and utility poles*, Research Paper. USDA Forest Service, Northeastern Forest Experiment Station.
500. Shigo, A. and W. Shortle. 1979. Compartmentalization of discolored wood in heartwood of red oak. *Phytopathology* 69:710-711.
501. Shigo, A. and W. Shortle. 1985. *Shigometry: a reference guide*. Agricultural Handbook. USDA Forest Service, Cooperative State Research Service.
502. Shigo, A. and J. Tippett. 1981. *Compartmentalization of decayed wood associated with Armillaria mellea in several tree species*. Research Paper. USDA Forest Service, Northeast Forest and Range Experiment Station.
503. Shigo, A., W. Shortle, and P. Garrett. 1977. Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. *Forest Science* 23:179-182.
504. Shigo, A. et al. 1979. *Internal defects associated with pruned and nonpruned branch stubs in black walnut*. Research Paper. U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station. Broomall, PA.
505. Shortle, W. 1979. Detection of decay in trees. *Journal of Arboriculture* 5(10):226-232.
506. Shortle, W. 1979. Mechanisms of compartmentalization of decay in living trees. *Phytopathology* 69:1147-1141.
507. Shortle, W. and A. Ostropsky. 1983. Decay susceptibility of wood in defoliated fir trees related to changing physical, chemical, and biological properties. *Forest Pathology* 13(1):1-11.
508. Shortle, W., J. Menge, and E. Cowling. 1978. Interaction of bacteria, decay fungi, and live sapwood in discoloration and decay of trees. *Forest Pathology* 8:293-300.
509. Silins, U., V. Lieffers, and L. Bach. 2000. The effect of temperature on mechanical properties of standing lodgepole pine trees. *Trees - Structure and Function* 14(8):424-428.
510. Simpson, P. and R. Van Bossuyt. 1996. Tree-caused electric outages. *Journal of Arboriculture* 22(3):117-121.
511. Sinn, G. and L. Wessolly. 1989. A contribution to the proper assessment of the strength and stability of trees. *Arboricultural Journal* 13:45-65.

512. Sisinni, S., W. Zipperer, and A. Pleninger. 1995. Impacts from a major ice storm: street-tree damage in Rochester, New York. *Journal of Arboriculture* 21:156-167.
513. Skatter, S. and B. Kucera. 2000. Tree breakage from torsional wind loading due to crown asymmetry. *Forest Ecology and Management* 135:97-103.
514. Skutt, H., A. Shigo, and R. Lessard. Detection of discolored and decayed wood in living trees using a pulsed electric current. *Canadian Journal of Forest Research* 2(1):54-56.
515. Smiley, E. 1990. *Hazardous tree evaluation and management*. Bartlett Tree Research Laboratory. Charlotte, NC.
516. Smiley, E. 2003. Does included bark reduce the strength of codominant stems? *J. Arboriculture* 29(2):104-106.
517. Smiley, E. 2008. Root pruning and stability of young willow oak. *Arboriculture & Urban Forestry* 34(2):123-128.
518. Smiley, E. and J. Clark. 2006. *International Tree Failure Database: User Manual*. National Urban and Community Forestry Council. USDA Forest Service. Washington D.C.
519. Smiley, E. and B. Fraedrich. 1992. Determining strength loss from decay. *Journal of Arboriculture* 18(4):201-204.
520. Smiley, E. and B. Kane. 2006. The effects of pruning type on wind loading of Acer rubrum. *Arboriculture & Urban Forestry* 32(1):33-40.
521. Smiley, E., A. Key, and C. Greco. 2000. Root barriers and windthrow potential. *J. Arboriculture* 26(4):213-217.
522. Smiley, E., C. Greco, and J. Williams. 2000. Brace rods for codominant stems: installation location and breaking strength. *J. Arboriculture* 26(3):170-176.
523. Smiley, E., B. Fraedrich, and P. Fengler. 2007. Hazard Tree Inspection, Evaluation, and Management. in *Urban and Community Forestry in the Northeast*, ed. J. Kuser 277-294.
524. Smith, K. Compartmentalization today. *Arboricultural Journal* 29(3):173-184.
525. Smith, K. and W. Shortle. 1988. Electrical resistance and wood decay by white rot fungi. *Mycologia* 80 (1):124-126.
526. Smith, V., M. Watts, and D. James. 1987. Mechanical stability of black spruce in the clay belt region of northern Ontario. *Canadian Journal of Forest Research* 17(9):1080-1091.
527. Socco, L. et al. 2003. Feasibility of ultrasonic tomography for nondestructive testing of decay on living trees. *Research in Nondestructive Evaluation* 15(1):31-54.
528. Somerville, A. 1979. Root anchorage and root morphology of Pinus radiata on a range of ripping treatments. *New Zealand Journal of Forestry Science* 9:294-315.
529. Soulimani, A., G. Foret, and H. Bossuat. 1999. Wind stability analysis of urban trees. in *Proc. International Symposium on Urban Tree Health*. Acta Hort. 496:279-287.
530. Spatz, H. and F. Bruechert. 2000. Basic biomechanics of self-supporting plants: wind loads and gravitational loads on a Norway spruce tree. *Forest Ecology and Management* 135:33-44.
531. Spatz, H., F. Bruchert, and J. Pfisterer. 2007. Multiple resonance damping or how do trees escape dangerously large oscillations? *American Journal of Botany* 94(10):1603-1611.

532. Stacey, G. et al. 1994. Wind flows and forces in a model spruce forest. *Boundary-Layer Meteorology* 69(3):311-334.
533. Stathers, R., T. Rollerson, and S. Mitchell. 1994. *Windthrow handbook for British Columbia forests*. BC Min. For., Victoria, B.C.
534. Sterken, P. 2005. *A guide for tree-stability analysis*, 2nd ed. Peter Sterken.
535. Sterken, P. 2006. Prognosis of the development of decay and the fracture-safety of hollow trees. *Arboricultural Journal* 29(4):245-267.
536. Sterken, P. and K. Coder. 2005. Protocol for tree-stability assessments in Southern Europe. *Arborist News*.
537. Stobbe, H., D. Dujesiefken, and K. Schröder. Tree crown stabilization with the double belt “System Osnabrück.” *Journal of Arboriculture* 26(5):270-274.
538. Stokes, A. 1995. *The shape of tree root systems affect root wood strength*. Karlsruhe: Forschungszentrum. Karlsruhe GmbH.
539. Stokes, A. 1999. Strain distribution during anchorage failure of *Pinus pinaster* Ait. at different ages and tree growth response to wind-induced root movement. *Plant and Soil* 217(1):17-27.
540. Stokes, A. and C. Mattheck. 1996. Variation of wood strength in tree roots. *Journal of Experimental Botany* 47(5):693-699.
541. Stokes, A. et al. 1996. An experimental investigation of the resistance of model root systems to uprooting. *Annals of Botany* 78(4):415-421.
542. Stokes, A., M. Drexhage, and D. Guitard. 2000. A method for predicting the possible site of failure in trees during mechanical loading. in *The supporting roots of trees and woody plants: form, function and physiology*, ed. A. Stokes. Springer. Berlin, Germany 279-286.
543. Stokes, A. et al. 2007. Root morphology and strain distribution during tree failure on mountain slopes. in *Eco-and Ground Bio-Engineering: The Use of Vegetation to Improve Slope Stability* 165-173.
544. Suzuki K. et al. Discoloration and decay of sugi (*Cryptomeria japonica*), with special reference to electrical resistance and microflora in living trees. *Bull. For. Forest Prod. Res. Inst.* 328:107-117.
545. Swiecki, T. et al. 2005. Relationships between *Phytophthora ramorum* canker (sudden oak death) and failure potential in coast live oak. *Proceedings of the 2nd Sudden Oak Death Scientific Symposium*.
546. Talkkari, A. et al. 2000. Integration of component models from the tree, stand and regional levels to assess the risk of wind damage at forest margins. *Forest Ecology and Management* 135:303-313.
547. Terho, M. and A. Hallaksela. 2005. Potential hazard characteristics of *Tilia*, *Betula*, and *Acer* trees removed in the Helsinki city area during 2001–2003. *Urban Forestry & Urban Greening* 3(2):113-120.
548. Terho, M. and A-M. Hallaksela. 2008. Decay characteristics of hazardous *Tilia*, *Betula*, and *Acer* trees felled by municipal urban tree managers in the Helsinki city area. *Forestry* 81(2):151-159.
549. Terho, M., J. Hantula, and A. Hallaksela. 2007. Occurrence and decay patterns of common wood-decay fungi in hazardous trees felled in the Helsinki City. *Forest Pathology* 37(6):420-432.

550. Tesari, I. and C. Matteck. 2003. Das Schubspannungsmaximum am Stammfuss und der Einfluss von Wurzelarchitektur und Bodeneigenschaften (The maximum shear stress at the buttress and the influence of root architecture and soil characteristics). in *Proceedings of the 9th VTA-Spezialseminar "Messen und Beurteilen am Baum".* Forschungszentrum Karlsruhe GmbH.
551. Tippett, J. and A. Shigo. 1981. Barriers to decay in conifer roots. *Forest Pathology* 11:51-59.
552. Tomikawa, Y. et al. 1986. Nondestructive inspection of a wooden pole using ultrasonic computed tomography. *Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions* 33(4):354-358.
553. Torsello, M. and T. McLellan. Undated. *There's life in hazard trees.* U.S. Dept. of Agriculture, Forest Service, Northern Area State & Private Forestry. Newton Square, PA.
554. Toupin, R. and M. Barger. 2005. *Field guide for danger tree identification and response.* USDA Forest Service, Pacific Northwest Region Forest Health Protection.
555. U.S. Dept. of Interior. 1998. U.S. Park Service hazard tree guidelines. National Park Service, Dept. of the Interior.
556. Valinger, E. and J. Fridman. 1997. Modelling probability of snow and wind damage in Scots pine stands using tree characteristics. *Forest Ecology and Management* 97(3):215-222.
557. Valinger, E., L. Lundqvist, and L. Bondesson. 1993. Assessing the risk of snow and wind damage from tree physical characteristics. *Forestry* 66(3):249-260.
558. van Mantgem, P. and N. Stephenson. 2004. Does coring contribute to tree mortality? *Canadian Journal of Forest Research* 34(11):2394-2398.
559. Vogel, S. 1989. Drag and reconfiguration of broad leaves in high winds. 1989. *Journal of Experimental Botany.* 40(8):941-948.
560. Vogel, S. 1996. Blowing in the wind: storm-resisting features of the design of trees. *Journal of Arboriculture* 22(2):92-98.
561. Vollbrecht, G. and E. Agestam. 1995. Identifying butt rotted Norway spruce trees from external signs. *Forest and Landscape Research (Denmark)* 1(3):241-254.
562. Vollsinger, S. et al. 2005. Wind tunnel measurements of crown streamlining and drag relationships for several hardwood species. *Canadian Journal of Forest Research* 35(5):1238-1249.
563. Von Gadow, K. 2000. Evaluating risk in forest planning models. *Silva Fennica* 34(2):181-191.
564. Vuolkila, Y. 1979. Boring of standing trees as a source of defects. *Folia Forestalia, Institutum Forestale Fenniae* 282:11.
565. Wagener, W., C. Forest, and R. Station. 1963. *Judging hazard from native trees in California recreational areas: a guide for professional foresters.* Research Paper PSW-P1. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station. Berkeley, CA.
566. Wagenführ, M. 2003. Wood properties of the Norway maple. *Forst und Holz* 58:695-699.
567. Wallis, G., D. Morrison, and D. Ross. 1992. *Tree hazards in recreation sites in British Columbia.* Victoria, British Columbia, Canada: British Columbia Ministry of Environment and Parks, Canadian Forestry Service.

568. Wang, X. and R. Allison. 2008. Decay detection in red oak trees using a combination of visual inspection, acoustic testing, and resistance microdrilling. *Arboriculture & Urban Forestry* 31(1):1-4.
569. Wang, X. et al. 2000. *Strength and stiffness assessment of standing trees using a nondestructive stress wave technique*. U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. Madison, WI.
570. Wang, X. et al. 2000. Nondestructive evaluation of standing trees with stress wave methods. in *12th International Symposium on Nondestructive Testing of Wood*. Sopron, Hungary. 197-206.
571. Wang, X. et al. 2004. *Assessment of decay in standing timber using stress wave timing nondestructive evaluation tools*. USDA FS Forest Products Laboratory General Technical Report FPL-GTR-147. U.S. Dept. of Agriculture Forest Service. Washington.
572. Wang, X. et al. 2005. *Nondestructive evaluation of incipient decay in hardwood logs*. USDA Forest General Technical Report FPL-GTR-162 U.S. Dept. of Agriculture, Forest Service, Forest Products Laboratory. Madison, WI.
573. Wang, X. et al. 2007. *Acoustic tomography for decay detection in red oak trees*. USDA Forest Service Forest Products Laboratory Research Paper FPL-RP-642. U.S. Dept. of Agriculture Forest Service, Forest Products Laboratory. Madison, WI.
574. Ward, J. et al. 1980. *Wetwood in trees: a timber resource problem*. General Technical Report PNW-112. US Dept. of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station.
575. Watt, J. 2007. The management of risk with respect to cultural heritage - a case study. *Arboricultural Journal* 30(2):175-185.
576. Watt, M., J. Moore, and B. McKinlay. 2005. The influence of wind on branch characteristics of *Pinus radiata*. *Trees-Structure and Function* 19(1):58-65.
577. Weber, K. and C. Mattheck. 2006. The effects of excessive drilling diagnosis on decay propagation in trees. *Trees-Structure and Function* 20(2):224-228.
578. Weihs, U. et al. 1999. The electrical resistivity tomography—a promising technique for detection of coloured heartwood on standing beech trees. *Forst und Holz* 54:166-170.
579. Wessolly, L. 1995. Bruchdiagnose von Bäumen, Teil 3: Das Bohren ist kein Weg für die sichere Bruchdiagnose (Fracture diagnosis of trees Part 3: Boring is no way for reliable fracture diagnosis). *Stadt und Grün* 9:635-640.
580. Wessolly, L. 1995. Bruchdiagnose von Bäumen, Teil 2 : Statisch integrierte Verfahren - Die statisch integrierte Abschätzung (SIA) (Fracture diagnosis of trees Part 2: Statically-Integrated Assessment (SIA) - The practitioner's method of diagnosis). *Stadt und Grün* 8:570-573.
581. Wessolly, L. 1995. Bruchdiagnose von Bäumen, Teil 1 : Statisch integrierte Verfahren - Messung mittels Zugversuch (Fracture diagnosis of trees Part 1: Statics-integrated methods - measurement with tension test, the expert's method). *Stadt und Grün* 6:416-422.
582. Wessolly, L. 1996. Standsicherheit von Bäumen, das Kippverhalten ist geklärt (Stability of trees: explanation of the tipping process). *Stadt und Grün* 4:268-272.
583. Wessolly, L. 1996. How hollow may a tree be? *Neue Landschaft*.

584. Wessolly, L. and M. Erb. 1998. *Handbuch der Baumstatik und Baumkontrolle (Manual of tree statics and tree control)*. Patzer-Verlag. Berlin, Germany.
585. Wilcox, W. 1978. Review of literature on the effects of early stages of decay on wood strength. *Wood and Fiber Science* 9(4):252-257.
586. Wilcox, W. 1988. Detection of early stages of wood decay with ultrasonic pulse velocity. *Forest Products Journal* 38(5):68-73.
587. Wildlife Tree Committee. 2001. Wildlife/Danger tree assessor's course workbook. British Columbia, 2001.
588. Wilkes, J. 1983. Use of the Shigometer technique to detect decay in Eucalyptus. *Australian Forestry* 46(1):35-38.
589. Wilkes, J. and W. Heather. 1982. Detection of decay using a pulsed-current resistance meter, and radial variation of some wood properties in tallowwood. *Australian Forest Research* 12:63-70.
590. Wilkes, J. and W. Heather. 1983. Correlation of resistance to a pulsed current with several wood properties in living eucalypts. *New Zealand Journal of Forestry Science* 13: 139-145.
591. Wilson, P. 1983. The Shigometer technique in practice. *Arboricultural Journal* 7:81-85.
592. Wilson, B. and R. Archer. 1979. Tree design: some biological solutions to mechanical problems. *Bioscience* 29(5):293-298.
593. Wilson, P., J. Allen, and J. Walker. 1982. Appraisal of the Shigometer technique. *New Zealand Journal of Forestry Science* 12:86-95.
594. Wohlers, A., T. Kowol, and D. Dujesiefken. 2001. Baumkontrolle nach Baumarten differenziert - typische Schadsymptome und Auffälligkeiten bei Ahorn, Pappel und Robinie," *Jahrbuch der Baumpflege (Yearbook of tree care)*. 145-163.
595. Wolf, K. and N. Bratton. Urban trees and traffic safety: considering US roadside policy and crash data. *Arboriculture & Urban Forestry* 32(4):170-179.
596. Wood, C. 1995. Understanding wind forces on trees. in *Wind in trees*, ed. M. Coutts and J. Grace. Cambridge University Press. Cambridge, U.K. 133-163.
597. Wood, M. et al. 2008. Windthrow in Tasmania, Australia: monitoring, prediction and management. *Forestry advance access online* (March 22, 2008).
598. Worrall, J. 2007. Hazard tree management. *Forest Health Management, Rocky Mountain Region, USDA Forest Service*.
599. Weimin XI et al. 2008. Tree damage risk factors associated with large, infrequent wind disturbances of Carolina forests. *Forestry Advanced acces online* (May 8, 2008).
600. Xu, Z. et al. 2000. Examination of the Arborsonic Decay Detector for detecting bacterial wetwood in red oaks. *Southern Journal of Applied Forestry* 24(1):6-10.
601. Yamaguchi, T., K. Sasaki, and Y. Sakamoto. 2001. Evaluation of a stress-wave timer for the minimally destructive detection of decay in living trees in Northern-Japanese forests. *Journal of Forest Research* 6(2):117-120.
602. Yamamoto, K., O. Sulaiman, and R. Hashim. 1998. Nondestructive detection of heart rot on Acacia Mangium trees in Malaysia. *Forest Products Journal* 48(3):83-86.
603. Zaturecky, I. et al. 2006. *Stress-wave technology for defect detection and classification of mountain pine beetle infested logs and lumber*. UBC-004-06. BC Foresry Innovation Investment Ltd.

604. Zipse, A. et al. 1998. The effect of wind on the mechanical properties of wood in Scottish beech trees. *Arboricultural Journal* 22(3):247-257.